

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,FFTHO	SA00005856	56	M	SA00005856	
Ordering Phys			•	DOB	
				05/16/1956	
Client Order #	Account Information			Report Notes	
SA00005856					
Collected	C7028846-DLMP RO	CHESTER			
05/31/2012 12:42	3050 SUPERIOR DRI	3050 SUPERIOR DRIVE			
Printed	ROCHESTER,MN 559	901			
05/31/2012 14:37					

Test	Flag	Results	Unit	Reference Value	Perform Site*
Thiosulfate, U Creatinine		150.0	REPORTED (05/31/2012 12:46	Y08
Creatinine		130.0	шg/ п		2
ACGIH normal range in adults: 300-3400 mg/L (Mean: 1000 mg/L (0.3-3.4 g/L [Mean: 1 g/L]) 1000-1600 mg/day (1.0-1.6 g/day					
Reporting Limit		100	mg/L		Y08 2
Thiosulfate		5.0	mcg/mL		Y08 2
Normal range: approximately 2.9+/-2.5 mcg/man average creatinine concent					
Reporting Limit		1.0	mcg/mL		Y08 2
Thiosulfate (Creatinine corrected)		33	mg/g creat		Y08 2
Thiosulfate was detected in urat 2.9+/-2.5 mg/g creatinine. Exposure to 1240 nmol/L (30 ppresulted in a urinary thiosulface) mg/g creatinine.	m) for 45	minutes			_
Reporting Limit		6.6			Y08
Specific Gravity Confirmation		0.000			2 Y08 2
Physiologic range: 1.010 - 1.03	30				

* Performing Site:

	3	
V000	NMS Labs	Lab Director:
Y082	3701 Welsh Road PO Box 433A Willow Grove PA 19090-0437	Lab Director:

Patient Name	Collection Date and Time	Report Status	
SAMPLEREPORT,FFTHO	05/31/2012 12:42	Final	
Page 1 of 1		** End of Report **	

^{*} Report times for Mayo performed tests are CST/CDT