

Test Definition: FRFIT

Rabies Antibody Endpoint

Reporting Title: Rabies RFFIT Endpoint, S

Performing Location: RFFIT/K-State Rabies Laboratory Manhattan/K-State Innovation Center

Specimen Requirements:

Draw blood in a plain, red-top tube. Spin down and send 2 mL of serum refrigerated in plastic, screw-capped vial. Note: 1. Serum gel tube is acceptable, but must be poured off into plastic vial.

2. Collection date is required.

Specimen Type	Temperature Time		
Serum	Refrigerated (preferred) 14 days		
	Ambient		
	Frozen	60 days	

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
Z2071	Rabies Titer-Response	Alphanumeric	IU/mL	

CPT Code: 1 x 86382

Reference Values:

Reportable range is 0.1 to 15.0 IU/mL Less than 0.1 IU/mL: Below detection limit

>15.0 IU/mL or >14.0 IU/mL: Above reportable range

In humans a result of 0.5 IU/mL or higher is considered acceptable according to the World Health Organization (WHO) guidelines; see WHO and Advisory Committee on Immunization Practices documents for additional guidance.

Test Performed by: RFFIT/K-State Rabies Laboratory

Manhattan/K-State Innovation Center

2005 Research Park Circle Manhattan, KS 66502