MAYO CLINIC
Mayo Medical Laboratories

Laboratory Service Report 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,L3AFP	SA00047296	46	M	SA00047296
Ordering Phys				**DOB** 06/10/1966
Client Order # SA00047296	**Account Information**			**Report Notes**
Collected 06/25/2012 08:00	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 06/28/2012 08:18				

Test	Flag	Results	Unit	Reference Value	Perform Site*
AFP-L3% and Total AFP, S			REPORTED 06/26/2012 10:00		
Total AFP, S		20	ng/mL		SDL
%L3	H	12	%	<10	SDL

The testing method is isotachophoresis with laser-induced fluorescence manufactured by WAKO and performed on the i30.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Alpha-Fetoprotein and L3% values are not interpretable during pregnancy for the investigation of malignant disease.

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,L3AFP	06/25/2012 08:00	Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT

TEST SITE