

Laboratory Service Report

1-8	NN-5	33-1	710

Patient Name SAMPLEREPORT,POLIO	Patient ID SA00048192	Age 46	Gender M	Order # SA00048192	
Ordering Phys			•	DOB 05/25/1966	
Client Order # SA00048192	Account Information			Report Notes	
Collected 08/01/2012 13:00	C7028846-DLMP ROC 3050 SUPERIOR DRI	VE			
Printed 08/02/2012 13:58	ROCHESTER,MN 559	901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Poliovirus (Types 1-3) Abs, Serum Poliovirus 1 Ab		<1:8	REPORTED 08/	02/2012 11:22	Y03 8
Poliovirus 2 Ab		<1:8			9 9 8
Poliovirus 3 Ab		<1:8			Y03 8

REFERENCE RANGE: <1:8

INTERPRETIVE CRITERIA:

<1:8 Antibody Not Detected
> or = 1:8 Antibody Detected

This assay is designed to detect recent poliovirus infection; single titers > or = 1:32 provide strong support for recent natural (non-vaccine) exposure. The test is not appropriate for assessing vaccine responses or immunity to polioviruses; poliovirus neutralization is the recommended test for these purposes.

This test was developed and its performance characteristics have been determined by Focus Diagnostics. Performance characteristics refer to the analytical performance of the test.

* Performing Site:

	3		
Y038	Focus Diagnostics, Inc. 5785 Corporate Avenue Cypress, CA 90630-4750	Lab Director:	

Patient Name SAMPLEREPORT,POLIO	Collection Date and Time 08/01/2012 13:00	Report Status Final	
Page 1 of 1		** End of Report **	