MAYO CLINIC
Mayo Medical Laboratories

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,FBPTS N	SA00047672	38	M	SA00047672
Ordering Phys				**DOB** 05/16/1974
Client Order # SA00047672	**Account Information**			**Report Notes**
Collected 07/13/2012 10:47	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 08/03/2012 15:10				

Test	Flag	Results	Unit	Reference Value	Perform Site*
B. pertussis Abs IgG, M, A w/Reflex			REPORTED 07/16/2012 08:57		
B. pertussis Ab, IgG		1.0	U/mL	<=2.4	Y006
This test was developed and its performance characteristics determined by ARUP Laboratories. The U.S. Food and Drug Administration has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions.					
B. pertussis Ab, IgM		0.3	U/mL	<=1.1	Y006
BACKGROUND INFORMATION: B. pertussis Ab, IgM w/Reflex Recommend that treatment decisions be based on the result of the B. pertussis IgM immunoblot test instead of the ELISA test. B. pertussis IgM test by ELISA may produce false-positive results. This test was developed and its performance characteristics determined by ARUP Laboratories. The U.S. Food and Drug Administration has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions.					
B. pertussis Ab, IgA		0.2	U/mL	<=1.1	Y006
This test was developed and its performance characteristics determined by ARUP Laboratories. The U.S. Food and Drug Administration has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions.					

* Performing Site:

Y006	ARUP Laboratories 500 Chipeta Way Salt Lake City, UT 84108	Lab Director:

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FBPTS N	07/13/2012 10:47	Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT

TEST SITE