

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,FBORE H	Patient ID SA00047675	Age 56	Gender M	Order # SA00047675		
Ordering Phys			•	DOB 05/16/1956		
Client Order # SA00047675	Account Information			Report Notes		
Collected 07/13/2012 10:54	3050 SUPERIOR DRIV	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE				
Printed 08/06/2012 08:43	ROCHESTER,MN 559	ROCHESTER,MN 55901				

Test	Flag	Results	Unit	Reference Value	Perform Site
. pertussis Abs, IgG, IgM w/Reflex			REPORTED 07/	16/2012 08:57	
B. pertussis Ab, IgG	H	18.0	U/mL	<=2.4	Y0 6
This test was developed and its determined by ARUP Laboratories. Administration has not approved however, FDA clearance or approvequired for clinical use. The role used as the sole means for cl management decisions.	The U.or clear al is results	S. Food and Drug ared this test; not currently are not intended to			
B. pertussis Ab, IgM w/Reflex	H	14.0	U/mL	<=1.1	Y0 6
BACKGROUND INFORMATION: B. pertu	ssis Al	o, IgM w/Reflex			U
Recommend that treatment decision of the B. pertussis IgM immunoble ELISA test. B. pertussis IgM testalse-positive results.	ot test	instead of the			
This test was developed and its determined by ARUP Laboratories. Administration has not approved however, FDA clearance or approve required for clinical use. The robe used as the sole means for cl management decisions.	The U.or clear al is results	S. Food and Drug ared this test; not currently are not intended to			
			REPORTED 07/	16/2012 08:57	
pertussis Ab, IgG Immunoblot		See Note			Y0 6

REPORTED 07/16/2012 08:57

Performing Site Legend on Last Page of Report

Patient Name	Collection Date and Time	Report Status	
SAMPLEREPORT,FBORE H	07/13/2012 10:54	Final	
Page 1 of 2		>> Continued on Next Page >>	

^{*} Report times for Mayo performed tests are CST/CDT

Bordetella pertussis.

management decisions.

 ${\tt IgG}$ antibodies against Bordetella FHA and PT detected. The ${\tt Immunoblot}$ banding pattern suggests a recent infection with

This test was developed and its performance characteristics determined by ARUP Laboratories. The U.S. Food and Drug Administration has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient



Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT, FBORE H	SA00047675	56	M	SA00047675	
Ordering Phys		•	•	DOB 05/16/1956	
Client Order # SA00047675	Account Information	1		Report Notes	
Collected 07/13/2012 10:54	C7028846-DLMP RO 3050 SUPERIOR DR	IVE			
Printed 08/06/2012 08:43	ROCHESTER,MN 55	901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
B. pertussis Ab, IgM Immunoblot		See Note		Negative	Y00 6

 ${\tt IgM}$ antibodies against Bordetella FHA and PT detected, which may suggest recent infection with Bordetella pertussis.

This test was developed and its performance characteristics determined by ARUP Laboratories. The U.S. Food and Drug Administration has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions.

* Performing Site:

VOOR	ARUP Laboratories	Lab Director:	
Y006	500 Chipeta Way Salt Lake City, UT 84108	Lab Director:	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FBORE H	07/13/2012 10:54	Final
Page 2 of 2		** End of Report **