

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT, MACCL	SA00048265	46	F	SA00048265
Ordering Phys			<b>DOB</b> 06/10/1966	
Client Order # SA00048265	Account Information			Report Notes
<b>Collected</b> 08/06/2012	C7028846-DLMP ROC 3050 SUPERIOR DRIV	/E		
<b>Printed</b> 08/10/2012 09:54	ROCHESTER,MN 559	01		

Test Flag Results Unit Reference Perform Value Site\*

REPORTED 08/07/2012 16:09

MCR

Susceptibility, MAC, Clarithromycin

SOURCE: LUNG, LUNG LEFT LOWER LOBE TISSUE ORGANISM IS MYCOB. CHELONAE

SUSCEPTIBILITY, MAC, CLARITHROMYCIN FINAL

MYCOBACTERIUM CHELONAE

Organism identified by client. Unable to perform susceptibility testing. Organism does not grow in test medium and/or at test temperature.

## \* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name SAMPLEREPORT.MACCL	Collection Date and Time 08/06/2012	Report Status Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT