

## **Laboratory Service Report**

## 1-800-533-1710

MCR

Patient Name SAMPLEREPORT,CGAKH	Patient ID SA00048406	<b>Age</b> 46	Gender F	<b>Order #</b> SA00048406
Ordering Phys				<b>DOB</b> 06/10/1966
Client Order # SA00048406	Account Information		Report Notes	
<b>Collected</b> 08/07/2012	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE			
<b>Printed</b> 08/21/2012 08:15	ROCHESTER,MN 559	901		

Test Flag Results Unit Value Perform Reference Perform Value Site\*

ng/mL

Chromogranin A, S

Impaired renal or hepatic function or treatment with proton pump inhibitors may result in artifactual elevations of Chromogranin A.

Η

93

Samples assayed on previous method after 01/01/2012 are available for rebaselining if necessary. Contact Mayo Medical Laboratories at 1-800-533-1710 to request this service which will be provided at no charge. For Mayo patients, call 507-266-4348 and ask for a CGAK technologist. The testing method is a homogeneous time-resolved immunofluorescent assay.

Analyte Specific Reagent:

This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

## \* Performing Site:

	3		
MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:	

Patient Name SAMPLEREPORT,CGAKH	Collection Date and Time 08/07/2012	Report Status Final
Page 1 of 1	** Reprinted **	** End of Report **