## **Test Definition: 3A40**

Cytochrome P450 3A4 Genotype, Saliva

Reporting Title: CYP3A4 Genotype, Saliva

Performing Location: Rochester

### **Specimen Requirements:**

Multiple genotype tests can be performed on a single specimen after a single extraction. See Saliva Genotype Tests in Special Instructions for a list of tests that can be ordered together.

Collection Container/Tube: Oragene DNA Self-Collection Kit (Supply T651)

Specimen Volume: Full tube

Collection Instructions: 1. Fill tube to line.

2. Send specimen in original container per kit instructions.

Forms: New York Clients-Informed consent is required. Please document on the request form or electronic order that a copy is on file. An Informed Consent for Genetic Testing (Supply T576) is available in Special Instructions.

Specimen Type	Temperature	Time
Saliva	Ambient	

#### **Result Codes:**

Result ID	Reporting Name	Туре	Unit	LOINC®
34692	CYP3A4 Genotype Result	Alphanumeric		
34693	CYP3A4 Interpretation	Alphanumeric		
34694	Reviewed by	Numeric		

### Components:

Test ID	Reporting Name	CPT Units	CPT Code	Always Performed	Orderable Separately
Billing only	MOLECULE NUCLEIC AMPLI EACH	1	83898		
Billing only	MOLECULAR DIAGNOSTICS	2	83896		
Billing only	GENETIC EXAMINATION	1	83912		

# **Test Definition: 3A40**

Cytochrome P450 3A4 Genotype, Saliva

### **Reflex Tests:**

Test ID	Reporting Name	CPT Units	CPT Code	Always Performed	Orderable Separately
NPXTO	Rapid DNA Extraction, Saliva	1	83890	Yes	No

### **Result Codes for Reflex Tests:**

Test ID	Result ID	Reporting Name	Туре	Unit	LOINC®
NPXTO	32894	Comment	Alphanumeric		

### **Reference Values:**

An interpretive report will be provided.