

Patient Name SAMPLEREP, F5DNA	Patient ID SA00048659	Age 45	Gender F	Order # SA00048659
Ordering Phys				DOB 06/10/1966
Client Order # SA00048659	Account Information			Report Notes
Collected 08/22/2011 13:00	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER, MN 55901			
Printed 08/28/2012 11:21				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Factor V Leiden (R506Q) Mutation, B		Negative		REPORTED 08/23/2012 11:34 Negative	MCR
F5DNA Interpretation					MCR
<p>This individual DOES NOT have the factor V Leiden (R506Q) mutation. Although the factor V Leiden mutation is absent, the individual may have other genetic and environmental risk factors for thrombosis. If clinically indicated, suggest Coagulation Consultation 83093 (Thrombophilia Profile) to complete the evaluation for an inherited or acquired thrombosing disorder (i.e., thrombophilia). This test is a direct mutation analysis of leukocyte genomic DNA by the Invader Assay system (Invader, Hologic Inc, Madison, WI). Analyte Specific Reagent. This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.</p>					
F5DNA Reviewed By		Ann Strege			MCR

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

Patient Name SAMPLEREP, F5DNA	Collection Date and Time 08/22/2011 13:00	Report Status Final
Page 1 of 1	** Reprinted **	** End of Report **

* Report times for Mayo performed tests are CST/CDT