

## **Laboratory Service Report**

Negative

## 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,PTNT	SA00048692	46	F	SA00048692	
Ordering Phys					
				06/10/1966	
Client Order #	Account Information	1		Report Notes	
SA00048692					
Collected	C7028846-DLMP ROCHESTER				
08/23/2012 13:00	3050 SUPERIOR DRIVE				
Printed	ROCHESTER,MN 55	901			
08/28/2012 10:42					

Test Flag Results Unit Value Site\*

REPORTED 08/24/2012 09:44

Negative

MCR MCR

Prothrombin G20210A Mutation, B

PTNT Interpretation

This individual DOES NOT have the Prothrombin G20210A mutation. Although the Prothrombin G20210A mutation is absent, the individual may have other genetic and environmental risk factors for thrombosis. If clinically indicated, suggest Coagulation Consultation 83093 (Thrombophilia Profile) to complete the evaluation for an inherited or acquired thrombosing disorder (i.e., thrombophilia). Consider genetic consultation and counseling of potentially affected family members regarding laboratory testing.

This test is a direct mutation analysis of leukocyte genomic DNA by the Invader Assay system (Invader, Hologic Inc, Madison, WI).

Analyte Specific Reagent. This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

PTNT Reviewed By Ann Strege MCR

## \* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:	

Patient Name	Collection Date and Time	Report Status	
SAMPLEREPORT,PTNT	08/23/2012 13:00	Final	
Page 1 of 1	** Reprinted **	** End of Report **	

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT