

Laboratory Service Report

1-800-533-1710

| Patient Name | Patient ID | Age | Gender | Order # |
|-----------------------------------|--------------------------------------|-----|--------|-----------------------|
| SAMPLEREPORT, FBPAG NORMAL | SA00048844 | 56 | M | SA00048844 |
| Ordering Phys | | | • | DOB 05/16/1956 |
| Client Order # SA00048844 | Account Information | 1 | | Report Notes |
| Collected 09/05/2012 13:23 | C7028846-DLMP RO 3050 SUPERIOR DR | IVE | | |
| Printed 09/06/2012 12:50 | ROCHESTER,MN 55 | 901 | | |

| Test | Flag Results | Unit | Reference Value | Perform Site* |
|--|---|----------|--------------------|------------------|
| B. pertussis Abs, IgA, IgG w/Refl | ex | REPORTED | 09/05/2012 13:53 | |
| B. pertussis Ab, IgG | 0.9 | U/mL | <=2.4 | Y00 |
| determined by ARUP Labora Administration has not ap however, FDA clearance or required for clinical use | nd its performance characteristic tories. The U.S. Food and Drug proved or cleared this test; approval is not currently . The results are not intended to for clinical diagnosis or patien | | | |
| B. pertussis Ab, IgA | 0.7 | U/mL | <=1.1 | Y00 |
| | Antibodies by ELISA test is or equivocal (1.0 - 1.1 U/mL), n | 10 | | |

further testing is performed.

This test was developed and its performance characteristics determined by ARUP Laboratories. The U.S. Food and Drug Administration has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions.

* Performing Site:

| | <u> </u> | |
|------|--|---------------|
| VOOR | ARUP Laboratories | Lab Director: |
| Y006 | 500 Chipeta Way Salt Lake City, UT 84108 | Lab Director: |

| Patient Name | Collection Date and Time | Report Status |
|---------------------------|--------------------------|---------------------|
| SAMPLEREPORT,FBPAG NORMAL | 09/05/2012 13:23 | Final |
| Page 1 of 1 | | ** End of Report ** |