

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,FBPAM	Patient ID SA00048826	Age 46	Gender M	Order # SA00048826
Ordering Phys				DOB 05/25/1966
Client Order # SA00048826	Account Information			Report Notes
Collected 09/04/2012 13:00	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE			
Printed 09/06/2012 15:13	ROCHESTER,MN 559	901		

BACKGROUND INFORMATION: B. pertussis Ab, IgM w/Reflex

Recommend that treatment decisions be based on the result of the B. pertussis IgM immunoblot test instead of the $\tt ELISA$ test. B. pertussis IgM test by $\tt ELISA$ may produce false-positive results.

This test was developed and its performance characteristics determined by ARUP Laboratories. The U.S. Food and Drug Administration has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions.

B. pertussis Ab, IgM Immunoblot

B See Note

REPORTED 09/05/2012 11:48
Negative

Y00 6

IgM antibodies against Bordetella FHA detected, suggestive of possible infection with Bordetella species . Questionable presence of IgM antibodies against Bordetella PT detected.

This test was developed and its performance characteristics determined by ARUP Laboratories. The U.S. Food and Drug Administration has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions.

* Performing Site:

Y006 ARUP Laboratories
500 Chipeta Way Salt Lake City, UT 84108
Lab Director:

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FBPAM	09/04/2012 13:00	Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT