

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,FFTHO NEGATIVE	SA00048835	41	M	SA00048835
Ordering Phys				DOB
				11/09/1970
Client Order #	Account Information		Report Notes	
SA00048835				
Collected	C7028846-DLMP ROC	C7028846-DLMP ROCHESTER		
09/04/2012 13:00		3050 SUPERIOR DRIVE		
Printed	ROCHESTER,MN 5590	01		
09/07/2012 10:25				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Thiosulfate, U Creatinine		1000	REPORTED 09	/05/2012 14:08	Y08
U.S. Population (10th-90th All participants: 335 - 2370 mg/L, median: 11 Males 495 - 2540 mg/L, med	80 (n=22,245) ian: 1370 (n=	=10,610)			2
Females: 273 - 2170 mg/L, m Reporting Limit	edian 994(n=1	100	mg/L		Y08 2
Thiosulfate		None Detected	mcg/mL		Y08 2
Normal range: approximately 2.9+/-2.5 m an average creatinine con	_				
Reporting Limit		1.0	mcg/mL		Y08 2
Thiosulfate (Creatinine correct	ted)	None Detected	mg/g creat		Y08 2
Thiosulfate was detected in at 2.9+/-2.5 mg/g creatinin Exposure to 1240 nmol/L (30 resulted in a urinary thios 60 mg/g creatinine.	e. ppm) for 45	minutes			2
Reporting Limit		1.0	mg/g creat		Y08 2

* Performing Site:

V000	NMS Labs	Lab Director
Y082	3701 Welsh Road PO Box 4334 Willow Grove PA 19090-0437	Lab Director:

Patient Name	Collection Date and Time	Report Status	
SAMPLEREPORT, FFTHO NEGATIVE	09/04/2012 13:00	Final	
Page 1 of 1	** Reprinted **	** End of Report **	

^{*} Report times for Mayo performed tests are CST/CDT