

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT, FSUCC NORMAL	SA00049022	56	М	SA00049022	
Ordering Phys		•		DOB	
				05/16/1956	
Client Order #	Account Information			Report Notes	
SA00049022				•	
Collected	C7028846-DLMP RO	C7028846-DLMP ROCHESTER			
09/14/2012 13:39	3050 SUPERIOR DRI	VΕ			
Printed	ROCHESTER,MN 559	01			
09/17/2012 13:11					

Test	Flag	Results	Unit	Reference Value	Perform Site*
Succinyladenosine		1.52	REPORTED 09/1	4/2012 13:43 0.74 - 4.92	Y07
Interpretation					1 Y07 1

The concentration of succinyladenosine in cerebrospinal fluid was within our reference range. This demonstrates that this child does not have adenylosuccinase (Adenylosuccinate lyase) deficiency. This test was developed and its performance characteristics determined by Medical Neurogenetics, LCC. It has not been cleared or approved by the U.S. FDA.

* Performing Site:

Y071	Medical Neurogenetics, LLC	Lab Director:
1071	5424 Glenridge Drive NF Atlanta GA 30342	Lab Director.

Patient Name	Collection Date and Time	Report Status	
SAMPLEREPORT, FSUCC NORMAL	09/14/2012 13:39	Final	
Page 1 of 1		** End of Report **	

^{*} Report times for Mayo performed tests are CST/CDT