

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,VLTB	SA00047813	45	F	SA00047813
Ordering Phys		·		DOB 09/06/1966
Client Order # SA00047813	Account Information	ı		Report Notes
Collected 07/17/2012 12:00	C7028846-DLMP ROO 3050 SUPERIOR DRI	VE		
Printed 09/25/2012 07:58	ROCHESTER,MN 559	901		

Test	Flag Results	Unit	Reference Value	Perform Site*
Volatile Scrn, B		REPORTED 07,	/20/2012 09:14	
Methanol, B	Not Detected	mg/dL		MCR
REFERENCE VALUE				
Not detected (Positive re	sults are quantitated) >=10			
(Toxic concentration)				
Ethanol, B	Not Detected	mg/dL		MCR
REFERENCE VALUE				
	sults are quantitated) >=400			
(Toxic concentration)				
Acetone, B	Not Detected	mg/dL		MCR
REFERENCE VALUE				
	sults are quantitated) >=10			
(Toxic concentration)				
Isopropanol, B	Not Detected	mg/dL		MCR
REFERENCE VALUE				
	sults are quantitated) >=10			
(Toxic concentration)				

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,VLTB	07/17/2012 12:00	Final
Page 1 of 1	** Reprinted **	** End of Report **