

REFERENCE VALUE/FILE DEFINITION CHANGE

NOTIFICATION DATE: September 25, 2012 **EFFECTIVE DATE:** October 25, 2012

IMIPRAMINE AND DESIPRAMINE, SERUM

Test ID: IMPR Secondary ID: 8126

NOTE: Effective with this change, all orders placed for this test must be submitted in the alphanumeric character Test ID format instead of the numeric Secondary ID. Result codes may also be subject to change. Please review Test Set-Up and Conversion Mapping information at: http://www.mayomedicallaboratories.com/test-notifications/index.html

EXPLANATION: The reference values for Imipramine and Desipramine, Serum are changing.

CURRENT REFERENCE VALUES:

Test	Reference Values	Toxic Concentration	Units
Imipramine	Not defined		ng/mL
Desipramine	100 – 300 (Therapeutic concentration)	>=500	ng/mL
Imipramine and	175 – 300 (Total therapeutic	>= 1,000	ng/mL
Desipramine	concentration)		

NEW REFERENCE VALUES:

Test	Reference Values	Toxic Concentration	Units
Imipramine	Not applicable		ng/mL
Desipramine	100 – 300 (Therapeutic concentration)	>=300	ng/mL
Imipramine and	175 – 300 (Total therapeutic	>=300	ng/mL
Desipramine	concentration)		

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager or Jim Nielsen, MML Laboratory Technologist Resource Coordinator Telephone: 800-533-1710