

Patient Name SAMPLEREP, VOLAT NORMAL	Patient ID NA00024931	Age 7	Gender M	Order # NA00024931
Ordering Phys				DOB 05/05/2005
Client Order # NA00024931	Account Information			Report Notes
Collected 05/17/2012 13:16	C7028847-DLMP NEW ENGLAND SDSC 2 - CLIENT SUPPORT Rochester, MN 55901			
Printed 09/25/2012 08:26				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Volatile Panel, Urine					
Methanol, U		None Detected	mg/dL	REPORTED 05/17/2012 12:34	NEL
-- REFERENCE VALUE --		None Detected			
>=10 (Toxic)					
Ethanol, U		None Detected	mg/dL	None Detected	NEL
Acetone, U		None Detected	mg/dL		NEL
-- REFERENCE VALUE --					
None Detected					
>=10 (Toxic)					
Isopropanol, U		None Detected	mg/dL		NEL
-- REFERENCE VALUE --					
None Detected					
>=10 (Toxic)					

* Performing Site:

NEL	Mayo Medical Laboratories New England 160 Dascomb Road Andover, MA 01810	Lab Director: Lynn A. Cheryk, Ph.D.
-----	---	-------------------------------------

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,VOLAT NORMAL	05/17/2012 13:16	Final
Page 1 of 1	** Reprinted **	** End of Report **

* Report times for Mayo performed tests are CST/CDT