

AMITRIPTYLINE AND NORTRIPTYLINE, SERUM
Test ID: AMT
Secondary ID: 8125

NOTE: Effective with this change, all orders placed for this test must be submitted in the alphanumeric character Test ID format instead of the numeric Secondary ID. Result codes may also be subject to change. Please review Test Set-Up and Conversion Mapping information at: <http://www.mayomedicallaboratories.com/test-notifications/index.html>

EXPLANATION: The reference values for Amitriptyline and Nortriptyline, Serum are changing.

CURRENT REFERENCE VALUES:

Test	Reference Values	Toxic Concentration	Units
Amitriptyline	Not defined		ng/mL
Nortriptyline	70 – 170 (Therapeutic concentration)	>= 500	ng/mL
Amitriptyline and Nortriptyline	80 – 200 (Total therapeutic concentration)	>= 1,000	ng/mL

NEW REFERENCE VALUES:

Test	Reference Values	Toxic Concentration	Units
Amitriptyline	Not applicable		ng/mL
Nortriptyline	70 – 170 (Therapeutic concentration)	>= 300	ng/mL
Amitriptyline and Nortriptyline	80 – 200 (Total therapeutic concentration)	>= 300	ng/mL

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager or
 Jim Nielsen, MML Laboratory Technologist Resource Coordinator
 Telephone: 800-533-1710