

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,LIS	SA00047796	46	F	SA00047796	
Ordering Phys				DOB 06/09/1966	
Client Order # SA00047796	Account Information	Account Information		Report Notes	
Collected 07/17/2012 12:00	3050 SUPERIOR DRI	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE			
Printed 09/25/2012 08:40	ROCHESTER,MN 559	901			

Test	Flag Results	Unit	Reference Value	Perform Site*
Lithium, S	1.0	REPORTED 07	/20/2012 08:38	MCR

-- REFERENCE VALUE --

0.8 - 1.2 (Trough concentration-therapeutic concentration)

>1.6 (Toxic concentration, Automatic call-back)

There is no relationship between peak concentration and degree of intoxication.

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.
	200 First St SW Rochester, MN 55905	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,LIS	07/17/2012 12:00	Final
Page 1 of 1	** Reprinted **	** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT