

Patient Name SAMPLEREPORT,FHPEP NORMAL	Patient ID SA00049640	Age 46	Gender M	Order # SA00049640
Ordering Phys				DOB 05/25/1966
Client Order # SA00049640	Account Information			Report Notes
Collected 10/07/2012 13:00	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 10/12/2012 12:15				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Hypersensitivity Pneumo Ext Panel			REPORTED 10/08/2012 12:42		
Aspergillus fumigatus 1 Ab		None Detected		None Detected	Y006
Aspergillus fumigatus 6 Ab		None Detected		None Detected	Y006
Aureobasidium pullulans Ab		None Detected		None Detected	Y006
Pigeon Serum Ab		None Detected		None Detected	Y006
Microspolyspora faeni Ab		None Detected		None Detected	Y006
Thermoactinomyces vulgaris 1 Ab		None Detected		None Detected	Y006
Aspergillus flavus Ab		None Detected		None Detected	Y006
Aspergillus fumigatus 2 Ab		None Detected		None Detected	Y006
Aspergillus fumigatus 3 Ab		None Detected		None Detected	Y006
Saccharomonospora viridis Ab		None Detected		None Detected	Y006
Thermoactinomyces candidus Ab		None Detected		None Detected	Y006
Thermoactinomyces sacchari Ab		None Detected		None Detected	Y006
<p>TEST INFORMATION: Aspergillus flavus Antibody; Aspergillus fumigatus #2 Antibody; Aspergillus fumigatus #3 Antibody; Saccharomonospora viridis Antibody; Thermoactinomyces candidus Antibody; Thermoactinomyces sacchari Antibody.</p> <p>Analyte specific reagents (ASR) are used in many laboratory tests necessary for standard medical care and generally do not require U.S. Food and Drug Administration (FDA) approval or clearance. This test was developed and its performance characteristics determined by ARUP Laboratories. The U.S. Food and Drug Administration has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions. This test should not be regarded as investigational or for research use.</p>					
Animal, Feather Mix IgE		Negative	kU/L	Negative	Y006

Performing Site Legend on Last Page of Report

Patient Name SAMPLEREPORT,FHPEP NORMAL	Collection Date and Time 10/07/2012 13:00	Report Status Final
Page 1 of 2		>> Continued on Next Page >>

* Report times for Mayo performed tests are CST/CDT

Patient Name SAMPLEREPORT,FHPEP NORMAL	Patient ID SA00049640	Age 46	Gender M	Order # SA00049640
Ordering Phys			DOB 05/25/1966	
Client Order # SA00049640	Account Information C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			Report Notes
Collected 10/07/2012 13:00				
Printed 10/12/2012 12:15				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Food, Beef IgE		<0.10	kU/L	<=0.34	Y00 6
Food, Pork IgE		<0.10	kU/L	<=0.34	Y00 6
Fungi/Mold, Phoma betae IgE		<0.10	kU/L	<=0.34	Y00 6
Interp, Immunocap Score IgE		See Note			Y00 6

REFERENCE INTERVAL: Allergen, Interpretation

Less than 0.10 kU/L.....No significant level detected
 0.10-0.34 kU/L.....Clinical relevance undetermined
 0.35-0.70 kU/L.....Low
 0.71-3.50 kU/L.....Moderate
 3.51-17.50 kU/L.....High
 17.51 kU/L or Greater....Very High

Allergen results of 0.10-0.34 kU/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

* Performing Site:

Y006	ARUP Laboratories 500 Chipeta Way Salt Lake City, UT 84108	Lab Director:
------	---	---------------

Patient Name SAMPLEREPORT,FHPEP NORMAL	Collection Date and Time 10/07/2012 13:00	Report Status Final
Page 2 of 2		** End of Report **

* Report times for Mayo performed tests are CST/CDT