

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,BGABS	SA00048849	46	F	SA00048849
Ordering Phys		•	•	DOB 06/10/1966
Client Order # SA00048849	Account Information	1		Report Notes
Collected 09/04/2012 13:00	C7028846-DLMP ROO 3050 SUPERIOR DRI	VE		
Printed 10/18/2012 08:27	ROCHESTER,MN 559	901		

Test	Flag Results	Unit	Reference Value	Perform Site*
			05/2012 14:36	
Beta-Galactosidase, BS	5.0	nmol/h/mL	>=5.0	MCR
Interpretation				MCR
In this specimen, the act	ivity of beta-D-galactosidase is	5		
within the normal range. '	This result indicates that this			
individual is not affected	d with GM1 gangliosidosis or			
Mucopolysaccharidosis type	e IVB (Morquio B). This test is			
not recommended for carri				
Fluorometric Enzyme Assay	er detection bereening.			
Reason for Referral	Not much dod			MOD
	Not provided			MCR
Reviewed By	Marie Quade			MCR

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus	Lab Director: Franklin R. Cockerill, III, M.D.
1 -	200 First St SW Rochester MN 55905	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,BGABS	09/04/2012 13:00	Final
Page 1 of 1	** Reprinted **	** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT