

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,FPIV HIGH	SA00051344	42	M	SA00051344	
Ordering Phys CLIENT,CLIENT				DOB 11/09/1970	
Client Order # SA00051344	Account Information			Report Notes	
Collected 11/27/2012 13:00	3050 SUPERIOR DRIV	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE			
Printed 11/29/2012 08:33	ROCHESTER,MN 559	01			

	Test	Flag	Results	Unit	Reference Value	Perform Site*
				REPORTED 11/2	8/2012 13:42	
PIVKA-II		H	6.3	ng/mL	<6.3	¥03
				_		5

^{**}Results of this test are for research purposes only per the assay manufacturer. The performance characteristics of this assay have not been established. The result should not be used as a diagnostic procedure without confirmation of the diagnosis by another medically established diagnostic product or procedure.

* Performing Site:

Y035	Esoterix Coagulation 8490 Upland Dr. Suite 100 Englewood, CO 80112	Lab Director:	

Patient Name	Collection Date and Time	Report Status	
SAMPLEREPORT, FPIV HIGH	11/27/2012 13:00	Final	
Page 1 of 1	** Reprinted **	** End of Report **	

^{*} Report times for Mayo performed tests are CST/CDT