

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,FMUMM	Patient ID SA00052264	Age 46	Gender M	Order # SA00052264
Ordering Phys CLIENT,CLIENT				DOB 05/25/1966
Client Order # SA00052264	Account Information			Report Notes
Collected 12/20/2012	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE			
Printed 12/27/2012 08:33	ROCHESTER,MN 559	901		

Reference Perform Test Flag Results Unit Value Site*

Mumps Virus Antibody (IgM)

Mumps Virus Antibody IgM

<1:20

REPORTED 12/21/2012 10:45

Y03

REFERENCE RANGE: <1:20 INTERPRETIVE CRITERIA:

<1:20 Antibody not detected
> or = 1:20 Antibody detected

The presence of IgM antibody to mumps typically indicates recent or current mumps infection; however, false positive results may occur due to antibody crossreactivity to parainfluenza virus. This assay was developed and its performance characteristics have been determined by Focus Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary. Performance characteristics refer to the analytical performance of the test.

* Performing Site:

Y038 Focus Diagnostics, Inc.
5785 Corporate Avenue Cypress, CA 90630-4750 Lab Director:

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FMUMM	12/20/2012	Final
Page 1 of 1		** End of Report **