MAYO CLINIC
Mayo Medical Laboratories

Laboratory Service Report 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,FMIC8	SA00005436	45	M	SA00005436
Ordering Phys				**DOB** 05/25/1966
Client Order # SA00005436	**Account Information**			**Report Notes**
Collected 05/15/2012 13:00	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 01/18/2013 08:53				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Mycobacterium MIC 8 Drug and Combo			REPORTED 05/16/2012 10:20		
Specimen Source		Brain Left Cerbellar			Y083
Submitter Organism ID		M. Avium Complex			Y083
Ciprofloxacin MIC		<=1.0	mcg/mL		Y083
Tentative Interpretation:		Susceptible			Y083
Clofazimine MIC		<=0.06	mcg/mL		Y083
Tentative Interpretation:		Susceptible			Y083
Rifabutin MIC		<=0.12	mcg/mL		Y083
Tentative Interpretation:		Susceptible			Y083
Rifampin MIC		<=0.5	mcg/mL		Y083
Tentative Interpretation:		Susceptible			Y083
Ethambutol MIC		4.0	mcg/mL		Y083
Tentative Interpretation:		Intermediate			Y083
Streptomycin MIC		<=2.0	mcg/mL		Y083
Tentative Interpretation:		Susceptible			Y083
Amikacin MIC		<=2.0	mcg/mL		Y083
Tentative Interpretation:		Susceptible			Y083
Clarithromycin MIC		<=4.0	mcg/mL		Y083
Tentative Interpretation:		Susceptible			Y083
Rifampin/Ethambutol Drug Combo Eff:					Y083
In the combination of Rifampin + Ethambutol, the effect is synergistic, and the MICS are:					
Rifampin		0.06	mcg/mL		Y083

Performing Site Legend on Last Page of Report

* Report times for Mayo performed tests are CST/CDT

MAYO CLINIC
Mayo Medical Laboratories

Laboratory Service Report 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,FMIC8	SA00005436	45	M	SA00005436
Ordering Phys				**DOB** 05/25/1966
Client Order # SA00005436	**Account Information**			**Report Notes**
Collected 05/15/2012 13:00	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 01/18/2013 08:53				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Tentative Interpretation:		Susceptible			Y083
Ethambutol		0.5	mcg/mL		Y083
Tentative Interpretation:		Susceptible			Y083

* Performing Site:

Y083	National Jewish Health Mycobacteriology Laboratory Dept. 170 Advanced Diagnostic Laboratories 1400 Jackson Street	Lab Director:

* Report times for Mayo performed tests are CST/CDT