

REPORTING/FILE DEFINITION CHANGE

NOTIFICATION DATE: January 30, 2013 **EFFECTIVE DATE:** March 1, 2013

HIV-1 and HIV-2 Antibodies for Cadaveric or Hemolyzed Specimens, Serum

Test ID: HV1CD Secondary ID: 83628

NOTE: Effective with this change, all orders placed for this test must be submitted in the alphanumeric character Test ID format, instead of the numeric Secondary ID. Result codes are also subject to change. Please review Test Set-Up and Conversion Mapping information at: http://www.mayomedicallaboratories.com/test-notifications/index.html

EXPLANATION: Currently, when the HIV-2 antibody result is "Reactive", HIV2F / HIV 2 Antibody, IBL, (performed at Focus Diagnostics Reference Laboratories) is ordered. Effective March 1, 2013, the current test, HIV2F, will be replaced by HIV2L / HIV-2 Antibody Confirmation, Serum, to be performed at Mayo Medical Laboratories.

CURRENT REFLEX TEST: HIV2F / HIV 2 Antibody, IBL (Focus Diagnostics Reference Laboratories)

NEW REFLEX TEST: HIV2L / HIV-2 Antibody Confirmation, Serum (Mayo Medical Laboratories)

This change will require file definition changes.