

Laboratory Service Report

1-800-533-1710

< 7.5

SDL

| Patient Name SAMPLEREPORT,DCP | Patient ID SA00054094 | Age 27 | Gender F | Order # SA00054094 |
|-----------------------------------|--|-----------|-------------|-----------------------|
| Ordering Phys CLIENT,CLIENT | | • | • | DOB 10/16/1985 |
| Client Order # SA00054094 | Account Information | | | Report Notes |
| Collected 02/19/2013 10:00 | C7028846-DLMP Rochester 3050 Superior Drive | | | |
| Printed 03/05/2013 10:53 | Rochester, MN 55901 | | | |

Test Flag Results Unit Value Site*

REPORTED 02/20/2013 14:39

ng/mL

Des-Gamma-Carboxy Prothrombin, S

The testing method is isotachophoresis with laser-induced fluorescence manufactured by WAKO and performed on the ${\rm i}30\,.$

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

* Performing Site:

SDL Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901 Lab Director: Franklin R. Cockerill, III, M.D.

| Patient Name | Collection Date and Time | Report Status |
|------------------|--------------------------|---------------------|
| SAMPLEREPORT,DCP | 02/19/2013 10:00 | Final |
| Page 1 of 1 | ** Reprinted ** | ** End of Report ** |