

## REPORTING/REFERENCE VALUE/FILE DEFINITION CHANGE

**NOTIFICATION DATE:** March 8, 2013 **EFFECTIVE DATE:** April 15, 2013

## **ALUMINUM, 24 HOUR, URINE**

Test ID: ALU Secondary ID: 8828

**NOTE:** Effective with this change, all orders placed for this test must be submitted in the alphanumeric character Test ID format instead of the numeric Secondary ID. Result codes may also be subject to change. Please review Test Set-Up and Conversion Mapping information at: <a href="http://www.mayomedicallaboratories.com/test-notifications/index.html">http://www.mayomedicallaboratories.com/test-notifications/index.html</a>

**EXPLANATION:** Aluminum, 24 Hour, Urine, Test ID ALU, will have a reference value change. The reportable range will also change effective April 15, 2013.

**CURRENT REFERENCE VALUE:** 0-32 mcg/spec

**NEW REFERENCE VALUE:** 0-20 mcg/spec

**CURRENT REPORTING RANGE:** 5-16,000 mcg/spec

**NEW REPORTING RANGE:** 1-100,000 mcg/spec

CURRENT DAY(S)/TIME(S) PERFORMED: Wednesday, Friday, 11 a.m.

NEW DAY(S)/TIME(S) PERFORMED: Tuesday, Friday, 5 p.m.

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager or Jim Nielsen, MML Laboratory Technologist Resource Coordinator Telephone: 800-533-1710