

REPORTING/REFERENCE VALUE/FILE DEFINITION CHANGE

NOTIFICATION DATE: March 8, 2013 **EFFECTIVE DATE:** April 15, 2013

ALUMINUM, RANDOM, URINE

Test ID: ALUR Secondary ID: 86377

NOTE: Effective with this change, all orders placed for this test must be submitted in the alphanumeric character Test ID format instead of the numeric Secondary ID. Result codes may also be subject to change. Please review Test Set-Up and Conversion Mapping information at: http://www.mayomedicallaboratories.com/test-notifications/index.html

EXPLANATION: Aluminum, Random, Urine, Test ID ALUR, will now include a reference value. The reportable range will also change effective April 15, 2013.

CURRENT REFERENCE VALUE: No established reference values

NEW REFERENCE VALUE: 0-20 mcg/L

CURRENT REPORTING RANGE: 5-16,000 mcg/L

NEW REPORTING RANGE: 1-100,000 mcg/L

CURRENT DAY(S)/TIME(S) PERFORMED: Wednesday, Friday, 11 a.m.

NEW DAY(S)/TIME(S) PERFORMED: Tuesday, Friday, 5 p.m.

QUESTIONS: Contact your Mayo Medical Laboratories' Regional Manager or Jim Nielsen, MML Laboratory Technologist Resource Coordinator Telephone: 800-533-1710