

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,FDKYE	SA00053261	42	F	SA00053261	
Ordering Phys CLIENT,CLIENT		·		DOB 06/20/1970	
Client Order # SA00053261	Account Information			Report Notes	
Collected 01/30/2013	3050 Superior Drive	C7028846-DLMP Rochester 3050 Superior Drive			
Printed 03/13/2013 13:37	Rochester, MN 55901				

Test	Flag	Results	Unit	Reference Value	Perform Site*
			REPORTED 02/01/2013 11:23		
Dock Yellow (Rumex crispus) IgE	Н	0.50	kU/L	<0.35	Y16 5
Class		1			Y16
					5

 $^{^{\}star}$ This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

V16E	Viracor IBT Laboratories, Interface	Lab Director:	
1 100	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FDKYE	01/30/2013	Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT