

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMEPLEREPORT, FEWHG ABNORMAL	SA00053277	42	M	SA00053277
Ordering Phys				DOB
CLIENT, CLIENT				11/09/1970
Client Order #	Account Information			Report Notes
SA00053277				
Collected	C7028846-DLMP Rochester			
01/31/2013 13:00	3050 Superior Drive			
Printed	Rochester, MN 55901			
03/13/2013 13:54				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Egg Whole IgG	Н	25.0	REPORTED 02/01 mcg/mL	/2013 10:54 <2	Y16 5

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. \* This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

## \* Performing Site:

V16E	Viracor IBT Laboratories, Interface	Lab Director:	
1 100	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:	

Patient Name	Collection Date and Time	Report Status	
SAMEPLEREPORT, FEWHG ABNORMAL	01/31/2013 13:00	Final	
Page 1 of 1		** End of Report **	