

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,FPYRE	Patient ID SA00053014	Age 46	Gender M	Order # SA00053014	
Ordering Phys CLIENT,CLIENT		'		DOB 05/25/1966	
Client Order # SA00053014	Account Information			Report Notes	
Collected 01/23/2013	C7028846-DLMP Rock 3050 Superior Drive	C7028846-DLMP Rochester 3050 Superior Drive			
Printed 03/13/2013 14:34	Rochester, MN 55901				

Test	Flag	Results	Unit	Reference Value /25/2013 08:09	Perform Site*
Pyrethrum IgE		0.11	kU/L	<0.35	Y16 5
Class		0/1			Y16 5

 $[\]mbox{*}$ This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

V16E	Viracor IBT Laboratories, Interface	Lab Director:	
1 100	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FPYRE	01/23/2013	Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT