

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name	Patient ID	Age	Gender	1 - 1 - 1 - 1
SAMPLEREPORT, FSCNE POSITIVE	SA00053009	42	M	SA00053009
Ordering Phys CLIENT,CLIENT				<b>DOB</b> 11/09/1970
Client Order # SA00053009	Account Information			Report Notes
<b>Collected</b> 01/23/2013 14:00	C7028846-DLMP Rocheste 3050 Superior Drive	r		
<b>Printed</b> 03/13/2013 14:51	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
			REPORTED 01/25/2013 09:16		
Sugar Cane IgE	H	5.00	kU/L	<0.35	Y16
					5
Class		3			Y16
					5

 $<sup>\</sup>mbox{*}$  This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

## \* Performing Site:

V16E	Viracor IBT Laboratories, Interface	Lab Director:	
1 100	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT, FSCNE POSITIVE	01/23/2013 14:00	Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT