

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,FWHFE	SA00053024	46	M	SA00053024	
Ordering Phys CLIENT,CLIENT		·		<b>DOB</b> 05/25/1966	
Client Order # SA00053024	Account Information			Report Notes	
<b>Collected</b> 01/23/2013	3050 Superior Drive	· '			
<b>Printed</b> 03/13/2013 15:00	Rochester, MN 55901				

Test	Flag	Results	Unit	Reference Value	Perform Site*
			REPORTED 01/	/25/2013 08:10	
Whitefish IgE	H	0.50	kU/L	<0.35	Y16
					5
Class		1			Y16
					5

 $<sup>^{\</sup>star}$  This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

## \* Performing Site:

V16E	Viracor IBT Laboratories, Interface	Lab Director:	
1 100	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FWHFE	01/23/2013	Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT