

Patient Name SAMPLEREP,FGA13 NORMAL	Patient ID SA00054432	Age 42	Gender M	Order # SA00054432
Ordering Phys CLIENT,CLIENT			DOB 11/09/1970	
Client Order # SA00054432	Account Information C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			Report Notes
Collected 03/04/2013 13:00				
Printed 03/13/2013 15:26				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Galactose-alpha-1,3-galactose IgE		0.30	kU/L	<0.35	Y16 5

REPORTED 03/05/2013 11:33

Previous reports (JACI 2009;123:426-433) have demonstrated that patients with IgE antibodies to galactose-a-1,3-galactose are at risk for delayed anaphylaxis, angioedema, or urticaria following consumption of beef, pork, or lamb. * This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

Y165	Viracor IBT Laboratories, Interface 1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:
------	---	---------------

Patient Name SAMPLEREP,FGA13 NORMAL	Collection Date and Time 03/04/2013 13:00	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT