

Laboratory Service Report

1-800-533-1710

| Patient Name | Patient ID | Age | Gender | Order # | |
|---------------------------------|---------------------|-----|--------|-----------------------|--|
| SAMPLEREPORT,FCRDE | SA00053474 | 42 | F | SA00053474 | |
| Ordering Phys CLIENT,CLIENT | | · | | DOB 06/20/1970 | |
| Client Order # SA00053474 | Account Information | | | Report Notes | |
| Collected 02/06/2013 | 3050 Superior Drive | · ' | | | |
| Printed 03/18/2013 14:26 | Rochester, MN 55901 | | | | |

| Test | Flag | Results | Unit | Reference Value | Perform Site* |
|-------------------------|------|---------|------------|--------------------|------------------|
| | | | REPORTED 0 | 2/08/2013 08:16 | |
| Carmine Dye/Red Dye IgE | H | 0.50 | kU/L | <0.35 | Y16 |
| | | | | | 5 |
| Class | | 1 | | | Y16 |
| | | | | | 5 |

 $^{^{\}star}$ This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

| V16E | Viracor IBT Laboratories, Interface | Lab Director: | |
|-------|--|---------------|--|
| 1 100 | 1001 NW Technology Dr Lee's Summit, MO 64086 | Lab Director: | |

| Patient Name | Collection Date and Time | Report Status |
|--------------------|--------------------------|---------------------|
| SAMPLEREPORT,FCRDE | 02/06/2013 | Final |
| Page 1 of 1 | | ** End of Report ** |

^{*} Report times for Mayo performed tests are CST/CDT