MAYO CLINIC
Mayo Medical Laboratories

Laboratory Service Report 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
TESTINGRNV,FSYT	SA00054281	13	M	SA00054281
Ordering Phys CLIENT,CLIENT				**DOB** 01/01/2000
Client Order # SA00054281	**Account Information**			**Report Notes**
Collected 02/27/2013 08:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 03/25/2013 14:13				

Test	Flag	Results	Unit	Reference Value	Perform Site*
SS18 (SYT), 18q11.2, FISH			REPORTED 02/27/2013 14:28		
Specimen		Tissue-Paraffin			MCR
Specimen ID		1060933			MCR
Order Date		27 Feb 2013 12:39			MCR
Reason For Referral					MCR
r/o 18q11.2 SS18 gene rearrangement					
Method					MCR
Locus and probes		[Strategy;#nuclei;Class]			
18q11.2 (3'SS18,5'SS18)		[BAP;200;ASR]			
Probe strategy: BAP=break-apart probe.					
Results		nuc ish(SS18x2)[200]			MCR
Of 200 nuclei, 0.0% had a separation of the 3'SS18 and 5'SS18 signals. The normal cutoff is <7% for one 3'SS18, one 5'SS18 and one 3'SS18/5'SS18 fusion signal.					
Interpretation					MCR
No rearrangement of the SS18 gene region was observed.					
This result does not exclude the diagnosis of synovial sarcoma. Clinical and pathologic correlation is recommended.					
DISCLAIMER: Analyte Specific Reagent (ASR). This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration. This test is intended to be used as an adjunct to existing clinical and pathologic information currently used for the differential diagnosis of synovial sarcoma. This FISH test does not rule out other chromosome abnormalities.					
Consultant		Christina M Radtke			MCR
Report Date		27 Feb 2013 14:22			MCR

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name	Collection Date and Time	Report Status
TESTINGRNV,FSYT	02/27/2013 08:00	Final
Page 1 of 1	** Reprinted **	** End of Report **

* Report times for Mayo performed tests are CST/CDT