

<b>Patient Name</b> SAMPLEREP, SABII NEG	<b>Patient ID</b> SA00056210	<b>Age</b> 46	<b>Gender</b> F	<b>Order #</b> SA00056210
<b>Ordering Phys</b> CLIENT, CLIENT				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00056210	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 03/25/2013	C7028845-DLMP Jacksonville SDSC 2 - Client Support			
<b>Printed</b> 03/27/2013 08:33	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Class II Antibody Single Ag Bead</b>			REPORTED 03/26/2013 18:50		
Result Class II SAB		Negative		Not Applicable	MCR
%PRA Class II SAB		0			MCR
This PRA is a Mayo Clinic Rochester Tissue Typing Laboratory calculated PRA. PRA is based on the antigen frequency of the Tissue Typing patient and donor population. PRA reflects all antibodies with a normalized value (MFI) above 300.					
DRB1 Specificity		NONE			MCR
DRB3/4/5 Specificity		NONE			MCR
DQB1 Specificity		NONE			MCR
DPB1 Specificity		NONE			MCR
Method: Luminex Flow Cytometry					

\* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.
-----	---	--

<b>Patient Name</b> SAMPLEREP, SABII NEG	<b>Collection Date and Time</b> 03/25/2013	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT