

## **Laboratory Service Report**

## 1-800-533-1710

REPORTED 02/21/2013 11:39

Patient Name SAMPLEREPORT,MPLVA	Patient ID SA00054019	<b>Age</b> 16	Gender F	<b>Order #</b> SA00054019	
Ordering Phys CLIENT,CLIENT		·		<b>DOB</b> 06/10/1996	
Client Order # SA00054019	Account Information			Report Notes	
<b>Collected</b> 02/18/2013 13:00	C7028846-DLMP Roch 3050 Superior Drive	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
<b>Printed</b> 04/02/2013 10:35	Rochester, MN 55901				

Reference Perform Flag Results Unit Test Value Site\*

## MPL Exon 10 Mutation Detection, V

See Below

Result: Extracted DNA from peripheral blood

MCR

Final Diagnosis:

Extracted DNA from peripheral blood, MPL exon 10 mutation analysis:

MCR

Negative. No mutation was detected in MPL, exon 10.

Signing Pathologist: Melissa Tricker-Klar Method summary - MPL exon 10 mutation analysis: Genomic DNA was extracted at the referring institution and Sanger sequencing used to evaluate for mutations in MPL, exon 10 (see Mayo Medical Laboratories Interpretive Handbook for method details). The sensitivity of this assay is approximately 20%, such that samples containing lower percentages of mutated DNA will appear negative. Laboratory developed test.

## \* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name SAMPLEREPORT,MPLVA	<b>Collection Date and Time</b> 02/18/2013 13:00	Report Status Final
Page 1 of 1		** End of Report **