

Test Definition: TCGR

T-Cell Receptor Gene Rearrangement, PCR, Blood

Reporting Title: T Cell Receptor Gene Rearrange, B

Performing Location: Rochester

Specimen Requirements:

Specimen must arrive within 168 hours of draw.

Container/Tube:

Preferred: Lavender top (EDTA)

Acceptable: ACD
Specimen Volume: 4 mL
Collection Instructions:

1. Invert several times to mix blood.

2. Send specimen in original tube.

Additional Information: Include relevant clinical information and cytogenetics results, if available.

Forms: Hematopathology Patient Information Sheet (Supply T676) in Special Instructions

Specimen Type	Temperature	Time
Whole blood	Ambient (preferred)	7 days
	Refrigerated	7 days

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
18210	Final Diagnosis:	Alphanumeric		34574-4

Components:

Test ID	Reporting Name	CPT Units	CPT Code	Always Performed	Orderable Separately
Billing only	TRB@ GENE REARRANGE AMPLIFY	1	81340		
Billing only	TRG GENE REARRANGEMENT ANAL	1	81342		



Test Definition: TCGR

T-Cell Receptor Gene Rearrangement, PCR, Blood

Reference Values:

An interpretive report will be provided.

Positive, negative, or indeterminate for a clonal T-cell population