

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name TEST,IMPLEMENTATION TESTING	Patient ID 321	<b>Age</b> 38	Gender M	Order # R1057062	
Ordering Phys TEST				<b>DOB</b> 10/14/1974	
Client Order # R1057062	Account Information	Account Information		Report Notes	
<b>Collected</b> 03/05/2013 13:10	C7028845-DLMP Jacksonville SDSC 2 - Client Support				
<b>Printed</b> 04/23/2013 14:31	Rochester, MN 55901				

Test Flag Results Unit Value Site\*

BK Virus PCR REPORTED 03/07/2013 07:17

Source URINE MCF
BK Virus PCR Negative Not applicable MCF

Analyte Specific Reagent

This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

## \* Performing Site:

MCF	Mayo Clinic Jacksonville Clinical Lab	Lab Director: Gretchen Johns, M.D.
	4500 San Pablo Road Jacksonville, FL 32224	

Patient Name	Collection Date and Time	Report Status
TEST,IMPLEMENTATION TESTING	03/05/2013 13:10	Final
Page 1 of 1		** End of Report **