

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name SAMPLEREPORT,FCRTG ABNORMAL	Patient ID SA00055790	Age 42	Gender M	<b>Order #</b> SA00055790
Ordering Phys CLIENT,CLIENT				<b>DOB</b> 11/09/1970
Client Order # SA00055790	Account Information			Report Notes
<b>Collected</b> 03/13/2013 13:00	C7028846-DLMP Rochester 3050 Superior Drive			
<b>Printed</b> 04/25/2013 13:15	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Carrot IgG	Н	6.0	REPORTED 03	/15/2013 16:32 <2	Y16

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. \* This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

## \* Performing Site:

	2		
V165	Viracor IBT Laboratories, Interface	Lab Director:	
1 103	1001 NW Technology Dr Lee's Summit. MO 64086	Lab Director.	

Patient Name SAMPLEREPORT,FCRTG ABNORMAL	Collection Date and Time 03/13/2013 13:00	Report Status Final	
Page 1 of 1		** End of Report **	

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT