

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,FCELG	SA00056072	46	M	SA00056072	
Ordering Phys CLIENT,CLIENT				<b>DOB</b> 05/25/1966	
Client Order # SA00056072	Account Information			Report Notes	
<b>Collected</b> 03/21/2013	3050 Superior Drive	· · · · · · · · · · · · · · · · · · ·			
<b>Printed</b> 04/30/2013 12:32	Rochester, MN 55901				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Celery IgG	Н	6.0	REPORTED mcg/mL	03/25/2013 11:55 <2	Y16

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. \* This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

## \* Performing Site:

V16E	Viracor IBT Laboratories, Interface	Lab Director:	
1 100	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FCELG	03/21/2013	Final
Page 1 of 1		** End of Report **