

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,FRICE ABNORMAL	Patient ID SA00056993	Age 56	Gender M	Order # SA00056993
Ordering Phys CLIENT,CLIENT		·	·	DOB 05/16/1956
Client Order # SA00056993	Account Information			Report Notes
Collected 04/29/2013	C7028846-DLMP Rochester 3050 Superior Drive			
Printed 05/16/2013 09:09	Rochester, MN 55901			

Te	est	Flag	Results	Unit	Reference Value	Perform Site*
Rice IgG		Н	3.0	REPORTED 05/01 mcg/mL	/2013 11:55 <2	Y16

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. * This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

	2		
V165	Viracor IBT Laboratories, Interface	Lab Director:	
1 103	1001 NW Technology Dr Lee's Summit. MO 64086	Lab Director.	

Patient Name SAMPLEREPORT,FRICE ABNORMAL	Collection Date and Time 04/29/2013	Report Status Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT