

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,FAGPL ABNORMAL	SA00057256	38	M	SA00057256
Ordering Phys CLIENT,CLIENT				DOB 05/16/1974
Client Order # SA00057256	Account Information			Report Notes
Collected 05/07/2013	C7028846-DLMP Rochester 3050 Superior Drive			
Printed 05/21/2013 10:43	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Alpha-Gal Panel			REPORTED 05/08	/2013 15:20	
Beef IgE	Н	0.50	kU/L	<0.35	Y16 5
Class		1			Y16
- 100		0.50	1 /-	0.05	5
Lamb/Mutton IgE	H	0.70	kU/L	<0.35	Y16 5
Class		2			Y16
Develo Torp		0.60	1/	.0. 25	5
Pork IgE	H	0.60	kU/L	<0.35	Y16 5
Class		1			Y16
					5
Galactose-alpha-1, 3- galactose IgE	H	0.40	kU/L	<0.35	Y16 5

Previous reports (JACI 2009;123:426-433) have demonstrated that patients with IgE antibodies to galactose-a-1,3-galactose are at risk for delayed anaphylaxis, angioedema, or urticaria following consumption of beef, pork, or lamb. * This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

	VACE	Viracor IBT Laboratories, Interface	Lab Directory
1	Y165	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT, FAGPL ABNORMAL	05/07/2013	Final
Page 1 of 1		** End of Report **