

## Laboratory Service Report

## 1-800-533-1710

5

Patient Name SAMPLEREPORT.FABP2 ABNORMAL	Patient ID SA00057254	<b>Age</b> 42	Gender M	Order # SA00057254
Ordering Phys CLIENT,CLIENT		I	I	<b>DOB</b> 11/09/1970
Client Order # SA00057254	Account Information			Report Notes
Collected 05/07/2013 13:00	C7028846-DLMP Rochester 3050 Superior Drive			
<b>Printed</b> 05/21/2013 11:31	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Allergic Bronchopulmonary Panel II			REPORTED 05	/08/2013 08:33	
Total IgE	Н	85	IU/mL	5-79	Y16
					5
Aspergillus fumigatus IgE	Н	0.65	kU/L	<0.35	Y16
					5
Class		1			Y16
					5
Aspergillus fumigatus IgG	Н	50	mcg/mL	<46	Y16
					5
A. fumigatus Mix Gel Diffusion	AB	Positive		Negative	Y16

The gel diffusion method was used to test this patient's serum for the presence of precipitating antibodies(IgG) to the antigens indicated. These antibodies are serological markers for exposure and immunological sensitization. The clinical significance varies, depending on the history and symptoms.This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA. Patients with allergic bronchopulmonary aspergillosis (ABPA) are expected to have the following serological features: 1) A high total IgE of >500 IU/mL, unless patient is receiving corticosteroids.

2) An elevated Aspergillus-specific IgE of class 4 or higher.

3) Positive for Aspergillus-specific IgG.

\* Performing Site:

|--|

Patient Name	<b>Collection Date and Time</b>	Report Status
SAMPLEREPORT, FABP2 ABNORMAL	05/07/2013 13:00	Final
Page 1 of 1	** Reprinted **	** End of Report **

\* Report times for Mayo performed tests are CST/CDT