

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,FBTRG ABNORMAL	SA00057125	38	F	SA00057125
Ordering Phys CLIENT,CLIENT				DOB 05/16/1974
Client Order # SA00057125	Account Information			Report Notes
Collected 05/02/2013	C7028846-DLMP Rochester 3050 Superior Drive			
Printed 05/21/2013 11:36	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Beet Root IgG	Н	4.0	REPORTED 05/03 mcg/mL	/2013 16:32 <2	Y16

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. * This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

V16E	Viracor IBT Laboratories, Interface	Lab Director:	
1 100	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:	

Patient Name SAMPLEREPORT, FBTRG ABNORMAL	Collection Date and Time 05/02/2013	Report Status Final
Page 1 of 1		** End of Report **