

Laboratory Service Report

4	O	^	1	22	4	74	Λ
	-0	U	リーご	533) – [/	u

Patient Name SAMPLEREPORTS,HIVE NORMAL	Patient ID NA00025328	Age 7	Gender M	Order # NA00025328	
Ordering Phys CLIENT,CLIENT					
Client Order # NA00025328	Account Information	1	Report Notes		
Collected 02/08/2013 08:36	C7028847-DLMP Nev SDSC 2 - Client Supp	ort			
Printed 05/22/2013 12:25	Rochester, MN 55901	Rochester, MN 55901			

Reference Perform Unit Test Flag Results Value Site*

REPORTED 02/08/2013 07:48

HIV-1/-2 Ab Evaluation, S

Negative

NEL

Negative result does not rule out HIV infection. If acute HIV-1 infection is suspected in a high-risk patient, submit plasma specimen for HIV-1 RNA quantification test.

If this test is ordered as a follow-up test to a reactive rapid HIV antibody test result, supplemental testing by Western blot is recommended, even when the current test result is negative.

-- REFERENCE VALUE --

Negative

Testing is performed using the Ortho Vitros Anti-HIV 1+2 chemiluminescence immunoassay.

* Performing Site:

Mayo Medical Laboratories New England NEL Lab Director: Lynn A. Cheryk, Ph.D. 160 Dascomb Road Andover, MA 01810

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORTS, HIVE NORMAL	02/08/2013 08:36	Final
Page 1 of 1	** Reprinted **	** End of Report **