

Patient Name SAMPLEREPORTS,MYGLU NORMAL	Patient ID NA00025452	Age 22	Gender M	Order # NA00025452
Ordering Phys CLIENT,CLIENT				DOB 05/05/1990
Client Order # NA00025452	Account Information			Report Notes
Collected 04/22/2013 12:35	C7028847-DLMP New England SDSC 2 - Client Support Rochester, MN 55901			
Printed 06/18/2013 13:35				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Myoglobin, U		<15	mcg/L	<=21	NEL
RECEIVED: REPORTED: 04/22/2013 12:46 Urinary myoglobin is highly unstable unless alkalized with Na ₂ CO ₃ preservative. Even with alkalization with Na ₂ CO ₃ , myoglobin deterioration is variable and sample dependent (approximate averages of 10% at 1 day, 20% at 3 days, and 30% at 7 days). Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.					

* Performing Site:

NEL	Mayo Medical Laboratories New England 160 Dascomb Road Andover, MA 01810	Lab Director: Lynn A. Cheryk, Ph.D.
-----	---	-------------------------------------

Patient Name SAMPLEREPORTS,MYGLU NORMAL	Collection Date and Time 04/22/2013 12:35	Report Status Final
Page 1 of 1	** Reprinted **	** End of Report **

* Report times for Mayo performed tests are CST/CDT