

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,FPGNG	Patient ID SA00059088	Age 42	Gender M	Order # SA00059088
Ordering Phys CLIENT,CLIENT				DOB 11/09/1970
Client Order # SA00059088	Account Information			Report Notes
Collected 06/16/2013 20:13	C7028846-DLMP Roche 3050 Superior Drive	ester		
Printed 06/18/2013 15:29	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Pea Green IgG		<2.0	mcg/mL	<2	Y16 5

RECEIVED: 06/17/2013 15:37 REPORTED: 06/17/2013 17:32

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. * This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

Y165 Viracor IBT Laboratories, Interface
1001 NW Technology Dr Lee's Summit, MO 64086 Lab Director:

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FPGNG	06/16/2013 20:13	Final
Page 1 of 1		** End of Report **